

APPLICATION DATA SHEET

Electronic Version 0.0.11

Stylesheet Version: 1.0

Attorney Docket Number: RD-29414

Publication Filing Type: new-utility

Application Type: utility

Title of Invention: FUSED QUARTZ ARTICLE HAVING CONTROLLED DEVITRIFICATION

Customer Number Attorney: 006147



Customer Number Correspondence Address: 006147



Assignee (Publish): General Electric Company

One Research Circle

KI/4A59

Niskayuna 12309 New York US

santandr@crd.ge.com

518-387-6304

518 387-6110

INVENTOR(s):

Primary Citizenship: USA

Given Name: Thomas

Middle Name: Francis

Family Name: McNultry

Residence City: Ballston Lake

Residence State: NY

Residence Country: US

Address: 5 Rose Court

Ballston Lake New York, 12019 US

Primary Citizenship: Australian

Given Name: David

Middle Name: Charles

Family Name: Pender
Residence City: Schenectady
Residence State: NY
Residence Country: US
Address: 855 Union Street
Schenectady New York, 12308 US

Primary Citizenship: USA
Given Name: Victor
Middle Name: Lien-Kong
Family Name: Lou
Residence City: Schenectady
Residence State: NY
Residence Country: US
Address: 910 Morgan Avenue
Schenectady New York, 12309 US

Primary Citizenship: USA
Given Name: Robert
Middle Name: Arthur
Family Name: Giddings
Residence City: Slingerlands
Residence State: NY
Residence Country: US
Address: 68 N. Helderberg Parkway
Slingerlands New York, 12159 US

Primary Citizenship: USA
Given Name: Frederic
Middle Name: Francis
Family Name: Ahlgren
Residence City: Highland Heights
Residence State: OH
Residence Country: US
Address: 5635 Ashley Circle

Age	Sex	Height (cm)	Weight (kg)	Body mass index (kg/m ²)	Waist circumference (cm)	Hip circumference (cm)	Waist-hip ratio	Trunk circumference (cm)	Neck circumference (cm)	Arm circumference (cm)	Hand circumference (cm)	Foot circumference (cm)
20	M	170	65	22.0	85	95	0.89	80	35	25	18	25
25	F	160	55	21.9	75	85	0.88	70	30	20	15	20
30	M	175	75	24.5	90	100	0.90	85	40	30	20	25
35	F	165	60	21.8	80	90	0.89	75	35	25	18	22
40	M	180	85	26.9	100	110	0.91	95	45	35	25	30
45	F	170	70	24.2	90	100	0.90	85	40	30	20	25
50	M	185	95	27.8	110	120	0.92	105	50	40	30	35
55	F	175	80	25.7	100	110	0.91	95	45	35	25	30
60	M	190	110	30.6	120	130	0.93	115	60	50	40	45
65	F	180	90	27.8	110	120	0.92	105	50	40	30	35
70	M	195	120	31.3	130	140	0.94	125	70	60	50	55
75	F	185	100	29.2	120	130	0.93	115	60	50	40	45
80	M	200	130	32.5	140	150	0.95	135	80	70	60	65
85	F	190	110	30.6	130	140	0.94	125	70	60	50	55
90	M	205	140	33.9	150	160	0.96	145	90	80	70	75
95	F	195	120	30.9	140	150	0.95	135	80	70	60	65
100	M	210	150	34.3	160	170	0.97	155	100	90	80	85
105	F	200	130	32.5	150	160	0.96	145	90	80	70	75
110	M	215	160	35.7	170	180	0.98	165	110	100	90	95
115	F	205	140	33.9	160	170	0.97	155	100	90	80	85
120	M	220	180	38.2	180	190	1.00	175	120	110	100	110
125	F	210	160	36.2	170	180	0.99	165	110	100	90	100
130	M	225	200	41.1	190	200	1.03	185	130	120	110	120
135	F	215	180	38.2	180	190	1.00	175	120	110	100	110
140	M	230	220	43.5	200	210	1.06	195	140	130	120	130
145	F	220	200	40.9	190	200	1.03	185	130	120	110	120
150	M	235	240	47.7	210	220	1.10	205	150	140	130	140
155	F	225	220	44.4	200	210	1.07	195	140	130	120	130
160	M	240	260	52.1	220	230	1.15	215	160	150	140	150
165	F	230	240	47.8	210	220	1.10	205	150	140	130	140
170	M	245	280	59.2	230	240	1.23	225	170	160	150	160
175	F	235	260	51.1	220	230	1.18	215	160	150	140	150
180	M	250	300	67.2	240	250	1.33	235	180	170	160	170